

# LED Indicators - RJS01 Series

## ■ Key Features

Mounting hole: 25mm

Lamp Type: LED

Lamp Voltage: 6V /12V/ 24V/ 110V/ 220V

Rated Current: 2mA ~20mA

Panel Thickness: 1 - 10mm

Terminal Type: Pin terminal / Screw

Cover Material: Epoxy

Base Material: PA


IP Rating: IP68, IK10



## ■ Specifications

Operating Temperature	- 25℃~+55℃ keep the air flowing around indicator
Operating Humidity	45~85%RH(no condensation)
Insulation Resistance	≥1000MΩ
Dielectric Strength	1500V, A C 50Hz, 5 seconds
Vibration Resistance	50Hz, Amplitude 1.2mm
Shock Resistance	>10g
Solder Heat Resistance	320℃(or 30W soldering iron) no more than 2 seconds

## ■ Lamp Ratings

Lamp Type	LED lamp(AC/DC)
Lamp color	<b>R</b> <b>G</b> <b>Y</b> <b>O</b> <b>B</b> <b>W</b>
Life	40000 hours(Reference)
Rated Voltage	AC/DC6V, AC/DC12V, AC/DC110V, AC/DC24V, AC/DC36V, AC/DC220V
Rated Current	2~15mA
Dropping Way	Inner resistance
Lamp	Using AC/DC LED lamp, the terminals have no difference
Circuit	of anode and cathode: Using inner resistance,
Diagram	do not need connect outer resistance 





Note: DC LED and other voltage can be made to order.

## ■ How to Order


RJS01-		-							
↓	↓		↓	↓	↓	↓	↓	↓	
Install Size	Action Style:		Shape of Top:	Contact Type:	Install Style:	Color:	Voltage:	Material:	
ø 25mm	Pilot lamp		Flat Domed	0: Non	A: Screw Type P: PCB Type	<b>R</b> Red <b>G</b> Green <b>B</b> Blue <b>W</b> White <b>Y</b> Yellow	D:24VDC E:12VDC F:6.3VDC A1:110VAC A2:220VAC	N = Nick plated Brass S = Stainless Steel A= Black plated Brass	

# LED Indicators: RJS01 Series


## ■ RJS01-25I~68H

Product appearance	Install Style	Model	Color	Rated Voltage	Crust Material
	PCB TYPE	RJS01-22I-170P~68H	<div> <div><span style="color: red;">■</span> Red</div> <div><span style="color: green;">■</span> Green</div> <div><span style="color: yellow;">■</span> Yellow</div> <div><span style="color: white;">■</span> White</div> <div><span style="color: blue;">■</span> Blue</div> </div>	D:24VDC E:12VDC F:6.3VDC A1:110VAC A2:220VAC	N = Nick plated Brass S = Stainless Steel A= Black plated Brass
		RJS01-22I-150P~68H			
	Screw Type	RJS01-22I-170A~68H			
		RJS01-22I-150A~68H			


RJS01-22I-170A~68H



RJS01-22I-170P~68H



RJS01-22I-150A~68H



RJS01-22I-150P~68H

