

RJSINIS-BUZZ SERIES

BUZZER




Specifications

Dimensions




RJSINIS-16-BUZZ

Mounting Hole Diameter: $\Phi 16\text{mm}$
 Sound Type(): Continuous Sound(M) / Discontinuous Sound(JM) Supply Voltage(▲): DC12V / DC24V
 Rated Current: $\leq 30\text{mA}$
 Buzzer Volume: $\geq 85\text{dB}$ (at 0.1m distance) / $\geq 75\text{dB}$ (at 1m distance) Body Material: Stainless Steel
 IP Rating: IP40, IK04




RJSINIS-19-BUZZ.2

Mounting Hole Diameter: $\Phi 19\text{mm}$
 Sound Type(): Continuous Sound(M) / Discontinuous Sound(JM) Supply Voltage(▲): DC12V / DC24V
 Rated Current: $\leq 30\text{mA}$
 Buzzer Volume: $\geq 85\text{dB}$ (at 0.1m distance) / $\geq 75\text{dB}$ (at 1m distance) Body Material: Stainless Steel
 IP Rating: IP40, IK04




RJSINIS-19-BUZZ.3

Mounting Hole Diameter: $\Phi 19\text{mm}$
 Sound Type: Flashing Buzzer(SM)
 LED Colour: R Other color can be customized
 Supply Voltage: DC12V / DC24V
 Rated Current: $\leq 30\text{mA}$
 Buzzer Volume: $\geq 85\text{dB}$ (at 0.1m distance) / $\geq 75\text{dB}$ (at 1m distance) Body Material: Stainless Steel
 IP Rating: IP40, IK04



RJSINIS-19-BUZZ.4

Mounting Hole Diameter: $\Phi 19\text{mm}$
 Sound Type: Continuous Sound(M) / Discontinuous Sound(JM) Supply Voltage: DC12V / DC24V
 Rated Current: $\leq 30\text{mA}$
 Buzzer Volume: $\geq 85\text{dB}$ (at 0.1m distance) / $\geq 75\text{dB}$ (at 1m distance) Body Material: Stainless Steel
 IP Rating: IP40, IK04



RJSINIS-19-BUZZ.5

Mounting Hole Diameter: $\Phi 19\text{mm}$
 Sound Type: Flashing Buzzer(SM)
 LED Colour: R Other color can be customised
 Supply Voltage: DC12V / DC24V
 Rated Current: $\leq 30\text{mA}$
 Buzzer Volume: $\geq 85\text{dB}$ (at 0.1m distance) / $\geq 75\text{dB}$ (at 1m distance) Body Material: Stainless Steel
 IP Rating: IP40, IK04

